



BRC 45/45 C

Spray-extraction machine for deep and interim cleaning of medium-large carpeted areas

1 Floating brush head with contra-rotating roller brushes

- Two roller brushes for high cleaning performance.
- Simultaneously cleans deep into the pile from two sides.

2 Working direction, forwards or backwards

- Working direction adjustable to carpet.
- Cleaning direction selectable by folding push handle.



BRC 45/45 C

- For medium-sized, clear areas
- Working direction forwards or backwards
- Two contra-rotating roller brushes with constant contact pressure

Technical data

Order Number	1.008-056.0	
EAN code	4039784497986	
Area performance (Deep cleaning/ interim cleaning "iCapsol")	m²/h	350 / 1000
Air flow	µm	45
Vacuum	mbar / kPa	300 / 30
Spray pressure, interim cleaning	bar	3,5
Spray pressure, deep cleaning	bar	7
Spray rate, interim cleaning	l/min	0,7
Spray rate, deep cleaning	l/min	3,2
Working width, vacuum	mm	450
Fresh / waste water tank	l	45 / 38
Power rating fan	W	1100
Power rating brush	W	600
Weight	kg	48
Dimensions (L x W x H)	mm	770 × 545 × 1250

Equipment

Direction of operation	Forward or backwards	
iCapsol mode	■	
No. of rollers	piece(s)	2

■ Included in delivery.

BRC 45/45 C

1.008-056.0



		Order Number	Hardness/ Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes for BR									
Roller brush	1	8.621-605.0		450 mm		1 piece(s)		Standard, black, 2 required.	■
	2	8.629-552.0		450 mm		1 piece(s)		Soft, 2 required. For hard carpets such as needle felt or short loop-pile carpets.	□

■ Included in delivery. □ Available accessories.

BRC 45/45 C 1.008-056.0



		Order Number	Quantity	ID	Width	Length	Price	Description	
Other accessories									
Adapter	1	8.631-030.0	1 piece(s)					For floor tool 4.130-061.0 and hand tool 4.130-163.0	<input checked="" type="checkbox"/>
Floor tools									
Floor tool ID 38, 330 mm	2	4.130-061.0	1 piece(s)	ID 38	330 mm			3 nozzles.	<input type="checkbox"/>
Hand tools									
Hand tool ID 38, 110 mm	3	4.130-163.0	1 piece(s)	ID 38	110 mm			Stainless steel with transparent nozzle, DN 38. For cleaning upholstery or small areas that are hard to reach with the floor tool. (A water flow reducer 3.637-029.0 is recommended for the Puzzi 400/E).	<input type="checkbox"/>
Spray-extraction hoses									
Spray extraction hose ID 38, 4 m	4	4.440-644.0	1 piece(s)	ID 38	4 m			Complete, metal coupling.	<input type="checkbox"/>

Included in delivery.
 Available accessories.